





HP ProCurve Unmanaged Switches

Switch	#Ports	Fan	PoE	LEDs	Transceiver or GBIC	Console Port
ProCurve 408 switch (J4097C) 	8 10/100 ports	No	No	Status and activity	None	No
ProCurve 1400-8G switch (J9077A) 	8 10/100/1000 ports	No	No	Status, activity, speed, and full-duplex operation	GBICs: Gigabit-SX Gigabit-LX Gigabit-LH	No
ProCurve 1400-24G switch (J9078A) 	22 10/100/1000 ports 2 dual-personality ports	No	No	Status, activity, speed, and full-duplex operation	GBICs: Gigabit-SX Gigabit-LX Gigabit-LH	No
ProCurve 2124 switch (J4868A) 	24 10/100 ports 1 open transceiver slot	No	No	Status, activity, speed, and full-duplex operation	Transceiver: 100FX SC	No
ProCurve 2312 switch (J4817A) 	12 10/100 ports 2 open transceiver slots	No	No	Status, activity, speed, and full-duplex operation	Transceivers: 100FX SC 100/1000-T Gigabit-LX Gigabit-SX	RS232C DB-9 console (download) port
ProCurve 2324 switch (J4818A) 	24 10/100 ports 2 open transceiver slots	No	No	Status, activity, speed, and full-duplex operation	Transceivers: 100FX SC 100/1000-T Gigabit-LX Gigabit-SX	RS232C DB-9 console (download) port
ProCurve 2708 switch (J4898A) 	8 10/100/1000 ports	No	No	Status, activity, speed, and full-duplex operation	None	No
ProCurve 2724 switch (J4897A) 	24 10/100/1000 ports	No	No	Status, activity, speed, and full-duplex operation	None	No

HP ProCurve Web-Managed Switches





Switch	#Ports	Fan	PoE	LEDs	Transceiver or GBIC	Console Port
ProCurve 1700-8 switch (J9079A) 	7 10/100 ports 1 10/100/1000 port	No	No	Status, activity, speed, and full-duplex operation	GBICs: Gigabit-SX Gigabit-LX Gigabit-LH	No
ProCurve 1700-24 switch (J9080A) 	22 10/100 ports 2 dual-personality ports	No	No	Status, activity, speed, and full-duplex operation	GBICs: Gigabit-SX Gigabit-LX Gigabit-LH	No
ProCurve 1800-8G switch (J9029A) 	8 10/100/1000 ports	No	No	Status, activity, speed, and full-duplex operation	GBICs: Gigabit-SX Gigabit-LX Gigabit-LH	No
ProCurve 1800-24G switch (J9028B) 	22 10/100/1000 ports 2 dual-personality ports	No	No	Status, activity, speed, and full-duplex operation	GBICs: Gigabit-SX Gigabit-LX Gigabit-LH	No




HP ProCurve Managed Switches



Switch	#Ports	Fan	PoE	LEDs	Transceiver or GBIC	Console Port
ProCurve 2512 switch (J4812A) 	12 10/100 ports 2 open transceiver slots	Yes	No	Status, activity, speed, and full-duplex operation	Transceivers: 100-FX SC 100/1000-T Gigabit-LX Gigabit-SX	RS-232C DB-9 console port
ProCurve 2524 switch (J4813A) 	24 10/100 ports 2 open transceiver slots	Yes	No	Status, activity, speed, and full-duplex operation	Transceivers: 100-FX SC 100/1000-T Gigabit-LX Gigabit-SX	RS-232C DB-9 console port
ProCurve 2510-24 switch (J9019B) 	24 10/100 ports 2 dual-personality ports	No	No	Status, activity, speed, and full-duplex operation	GBICs: Gigabit-SX Gigabit-LX Gigabit-LH Transceiver: 100-FX SFP-LC	RJ-45 serial console port
ProCurve 2510-48 switch (J9020A) 	48 10/100 ports 2 10/100/1000 ports 2 open GBIC (SFP) slots	Yes	No	Status, activity, speed, and full-duplex operation	GBICs: Gigabit-SX Gigabit-LX Gigabit-LH Transceiver: 100-FX SFP-LC	RJ-45 serial console port
ProCurve 2510-24G switch (J9279A) 	20 10/100/1000 ports 4 dual-personality ports	Yes	No	Status, activity, speed, and full-duplex operation	GBICs: Gigabit-SX Gigabit-LX Gigabit-LH Transceiver: 100-FX SFP-LC	RJ-45 serial console port
ProCurve 2510-48G switch (J9280A) 	44 10/100/1000 ports 4 dual-personality ports	Yes	No	Status, activity, speed, and full-duplex operation	GBICs: Gigabit-SX Gigabit-LX Gigabit-LH Transceiver: 100-FX SFP-LC	RJ-45 serial console port
ProCurve 2600-8-PWR switch (J8762A) 	8 10/100 ports 1 dual-personality port	Yes	Yes	Status, activity, speed, full-duplex operation, PoE, and RPS/EPs	GBICs: Gigabit-SX Gigabit-LX Gigabit-LH	RS-232C DB-9 console port

Switch	#Ports	Fan	PoE	LEDs	Transceiver or GBIC	Console Port
ProCurve 2626 switch (J4900C) 	24 10/100 ports 2 dual-personality ports	Yes	No	Status, activity, speed, full-duplex operation, PoE, and RPS/EPS	GBICs: Gigabit-SX Gigabit-LX Gigabit-LH	RS-232C DB-9 console port
ProCurve 2626-PWR switch (J8164A) 	24 10/100 ports 2 dual-personality ports	Yes	Yes	Status, activity, speed, full-duplex operation, PoE, and RPS/EPS	GBICs: Gigabit-SX Gigabit-LX Gigabit-LH	RS-232C DB-9 console port
ProCurve 2650 switch (J4899C) 	48 10/100 ports 2 dual-personality ports	Yes	No	Status, activity, speed, full-duplex operation, PoE, and RPS/EPS	GBICs: Gigabit-SX Gigabit-LX Gigabit-LH	RS-232C DB-9 console port
ProCurve 2650-PWR switch (J8165A) 	48 10/100 ports 2 dual-personality ports	Yes	Yes	Status, activity, speed, full-duplex operation, PoE, and RPS/EPS	GBICs: Gigabit-SX Gigabit-LX Gigabit-LH	RS-232C DB-9 console port
ProCurve 2610-24/12-PWR switch (J9086A) 	24 10/100 ports 2 10/100/1000 ports 2 open GBIC (SFP) slots	Yes	Yes, on 12 ports	Status, activity, speed, full-duplex operation, PoE, and RPS/EPS	GBICs: Gigabit-SX Gigabit-LX Gigabit-LH Gigabit 1000Base-T Transceiver: 100-FX SFP-LC	RJ-45 serial console port
ProCurve 2610-24 switch (J9085A) 	24 10/100 ports 2 10/100/1000 ports 2 open GBIC (SFP) slots	Yes	No	Status, activity, speed, full-duplex operation, PoE, and RPS/EPS	GBICs: Gigabit-SX Gigabit-LX Gigabit-LH Gigabit 1000Base-T Transceiver: 100-FX SFP-LC	RJ-45 serial console port



Switch	#Ports	Fan	PoE	LEDs	Transceiver or GBIC	Console Port
ProCurve 2610-24-PWR switch (J9087A) 	24 10/100 ports 2 10/100/1000 ports 2 open GBIC (SFP) slots	Yes	Yes	Status, activity, speed, full-duplex operation, PoE, and RPS/EPS	GBICs: Gigabit-SX Gigabit-LX Gigabit-LH Gigabit 1000Base-T Transceiver: 100-FX SFP-LC	RJ-45 serial console port
ProCurve 2610-48 switch (J9088A) 	48 10/100 ports 2 10/100/1000 ports 2 open GBIC (SFP) slots	Yes	No	Status, activity, speed, full-duplex operation, PoE, and RPS/EPS	GBICs: Gigabit-SX Gigabit-LX Gigabit-LH Gigabit 1000Base-T Transceiver: 100-FX SFP-LC	RJ-45 serial console port
ProCurve 2610-48-PWR (J9089A) 	48 10/100 ports 2 10/100/1000 ports 2 open GBIC (SFP) slots	Yes	Yes	Status, activity, speed, full-duplex operation, PoE, and RPS/EPS	GBICs: Gigabit-SX Gigabit-LX Gigabit-LH Gigabit 1000Base-T Transceiver: 100-FX SFP-LC	RJ-45 serial console port
ProCurve 2824 switch (J4903A) 	20 10/100/1000 ports 4 dual-personality ports	Yes	No	Status, activity, speed, full-duplex operation, and RPS/EPS	GBICs: Gigabit-SX Gigabit-LX Gigabit-LH Transceiver: 100-FX SFP-LC	RS-232C DB-9 console port
ProCurve 2848 switch (J4904A) 	44 10/100/1000 ports 4 dual-personality ports	Yes	No	Status, activity, speed, full-duplex operation, and RPS/EPS	GBICs: Gigabit-SX Gigabit-LX Gigabit-LH Transceiver: 100-FX SFP-LC	RS-232C DB-9 console port
ProCurve 2810-24G (J9021A) switch 	20 10/100/1000 ports 4 dual-personality ports	Yes	No	Status, activity, speed, full-duplex operation, and RPS/EPS	GBICs: Gigabit-SX Gigabit-LX Gigabit-LH Transceiver: 100-FX SFP-LC	RJ-45 serial console port



Switch	#Ports	Fan	PoE	LEDs	Transceiver or GBIC	Console Port
ProCurve 2810-48G (J9022A) switch 	44 10/100/1000 ports 4 dual-personality ports	Yes	No	Status, activity, speed, full-duplex operation, and RPS/EPS	GBICs: Gigabit-SX Gigabit-LX Gigabit-LH Transceiver: 100-FX SFP-LC	RJ-45 serial console port
ProCurve 2900-24G switch (J9049A) 	20 10/100/1000 ports 4 dual-personality ports 2 CX4 10-GbE ports (back panel) 2 open transceiver slots (back panel) 1 USB port	Yes	No	Status, activity, speed, full-duplex operation, and RPS/EPS	GBICs: Gigabit-SX Gigabit-LX Gigabit-LH Transceivers: 100-FX SFP-LC 10-GbE X2-CX4 10-GbE CX4 Media Con. 10-GbE X2-SC ER 10-GbE X2-SC LR 10-GbE X2-SC SR 10-GbE X2-SC LRM	RS-232C DB-9 console port
ProCurve 2900-48G switch (J9050A) 	44 10/100/1000 ports 4 dual-personality ports 2 CX4 10-GbE ports (back panel) 2 open transceiver slots 1 USB port	Yes	No	Status, activity, speed, full-duplex operation, and RPS/EPS	GBICs: Gigabit-SX Gigabit-LX Gigabit-LH Transceivers: 100-FX SFP-LC 10-GbE X2-CX4 10-GbE CX4 Media Con. 10-GbE X2-SC ER 10-GbE X2-SC LR 10-GbE X2-SC SR 10-GbE X2-SC LRM	RS-232C DB-9 console port
ProCurve 4000m switch (J4121A) 	5 10/100Base-T Modules (with 8 ports) 5 open module slots	Yes	No	Status, activity, speed, full-duplex operation, power, and module status	None	RS-232C DB-9 console port



Switch	#Ports	Fan	PoE	LEDs	Transceiver or GBIC	Console Port
ProCurve 8000m switch (J4110A) 	10 open module slots	Yes	No	Status, activity, speed, full-duplex operation, power, and module status	None	RS-232C DB-9 console port
ProCurve 4104gl switch (J4887A) ProCurve 4140gl switch (J8151A) ProCurve 4148gl switch (J4888A) 	4104gl switch: 4 open module slots 4140gl switch: 40 10/100/1000 ports 2 open module slots 4 open GBIC slots 4148gl switch: 48 10/100 ports 2 open module slots	Yes	No	Status, activity, speed, full-duplex operation, power, and module status	GBICs: Gigabit-SX Gigabit-LX Gigabit-LH Gigabit 1000Base-T Transceivers: 100-FX SC 100/1000-T Gigabit-LX Gigabit-SX Transceiver (part of the HP ProCurve Switch Gigabit Stacking Kit, J4116A)	RS-232C DB-9 console port
ProCurve 4108gl switch (J4865A) ProCurve 4108gl switch bundle (J4861A) ProCurve 4160gl switch (J8152A) 	4108gl switch: 8 open module slots 4108gl switch bundle: 72 10/100 ports 4 open module slots 3 open transceiver ports 4160gl switch: 60 10/100/1000 ports 5 open module slots 6 open GBIC slots	Yes	No	Status, activity, speed, full-duplex operation, power, and module status	GBICs: Gigabit-SX Gigabit-LX Gigabit-LH Gigabit 1000Base-T Transceivers: 100-FX SC 100/1000-T Gigabit-LX Gigabit-SX Gigabit Stacking Transceiver (part of the HP ProCurve Switch Gigabit Stacking Kit, J4116A)	RS-232C DB-9 console port



Switch	#Ports	Fan	PoE	LEDs	Transceiver or GBIC	Console Port
ProCurve 4204vl switch (J8770A) ProCurve 4204vl-48GS switch (J9064A) ProCurve 4202vl-72 switch (J8772A) 	4204vl switch: 4 open module slots 4204vl-48GS switch: 44 10/100/1000 ports 2 open module slots 4 open GBIC (SFP) slots 4202vl-72 switch: 72 10/100 ports 2 open module slots	Yes	No	Status, activity, speed, full-duplex operation, power, and module status	GBICs: Gigabit-SX Gigabit-LX Gigabit-LH Gigabit 1000Base-T Transceivers: 100-FX SFP-LC 10-GbE X2-CX4 10-GbE CX4 Media Con. 10-GbE X2-SC ER 10-GbE X2-SC LR 10-GbE X2-SC SR 10-GbE X2-SC LRM	RS-232C DB-9 console port
ProCurve 4208vl (J8773A) ProCurve 4208vl-72GS switch (J9030A) ProCurve 4208vl-96 switch (J8775A) 	4208vl switch: 8 open module slots 4208vl-72GS switch: 68 10/100/1000 ports 5 open module slots 4 open GBIC (SFP) slots 4208vl-96 switch: 96 10/100 ports 4 open module slots	Yes	No	Status, activity, speed, full-duplex operation, power, and module status	GBICs: Gigabit-SX Gigabit-LX Gigabit-LH Gigabit 1000Base-T Transceivers: 100-FX SFP-LC 10-GbE X2-CX4 10-GbE CX4 Media Con. 10-GbE X2-SC ER 10-GbE X2-SC LR 10-GbE X2-SC SR 10-GbE X2-SC LRM	RS-232C DB-9 console port

HP ProCurve Intelligent EDGE Switches


Switch	#Ports	Fan	PoE	LEDs	Transceiver or GBIC	Console Port
ProCurve 3400cl-24G switch (J4905A) 	20 10/100/1000 ports 4 dual-personality ports 1 open module slot (rear panel)	Yes	No	Status, activity, speed, full-duplex operation, power, module, and RPS	GBICs: Gigabit-SX Gigabit-LX Gigabit-LH Transceivers: 10-GbE X2-CX4 10-GbE CX4 Media Con. 10-GbE X2-SC ER 10-GbE X2-SC LR 10-GbE X2-SC SR	RS-232C DB-9 console port
ProCurve 3400cl-48G switch (J4906A) 	44 10/100/1000 ports 4 dual-personality ports 1 open module slot (rear panels)	Yes	No	Status, activity, speed, full-duplex operation, power, module, and RPS	GBICs: Gigabit-SX Gigabit-LX Gigabit-LH Transceivers: 10-GbE X2-CX4 10-GbE CX4 Media Con. 10-GbE X2-SC ER 10-GbE X2-SC LR 10-GbE X2-SC SR	RS-232C DB-9 console port

Switch	#Ports	Fan	PoE	LEDs	Transceiver or GBIC	Console Port
ProCurve 3500yl-24G-PWR switch (J8692A) 	20 10/100/1000 ports 4 dual-personality 1 USB port 1 open module slot (rear panel)	Yes	Yes	Status, activity, speed, full-duplex operation, power, module, EPS, RPS, and PoE	GBICs: Gigabit-SX Gigabit-LX Gigabit-LH Gigabit 1000Base-T Transceivers: 100-FX SFP-LC 10-GbE X2-CX4 10-GbE CX4 Media Con. 10-GbE X2-SC ER 10-GbE X2-SC LR 10-GbE X2-SC SR 10-GbE X2-SC LRM	RS-232C DB-9 console port
ProCurve 3500yl-48G-PWR switch (J8693A) 	44 10/100/1000 ports 4 dual-personality 1 USB port 1 open module slot (rear panel)	Yes	Yes	Status, activity, speed, full-duplex operation, power, module, EPS, RPS, and PoE	GBICs: Gigabit-SX Gigabit-LX Gigabit-LH Gigabit 1000Base-T Transceivers: 100-FX SFP-LC 10-GbE X2-CX4 10-GbE CX4 Media Con. 10-GbE X2-SC ER 10-GbE X2-SC LR 10-GbE X2-SC SR 10-GbE X2-SC LRM	RS-232C DB-9 console port



Switch	#Ports	Fan	PoE	LEDs	Transceiver or GBIC	Console Port
ProCurve 5304xl switch (J4850A) ProCurve 5304xl-32G switch (J8166A) ProCurve 5348xl switch (J4849A) 	5304xl switch: 4 open module slots 5304xl-32G switch: 28 10/100/1000 ports 4 dual-personality ports 2 open module slots 5348xl switch: 48 10/100 ports 2 open module slots	Yes	Yes with PoE module and EPS unit	Status, activity, speed, full-duplex operation, power, and module	GBICs: Gigabit-SX Gigabit-LX Gigabit-LH Gigabit 1000Base-T Transceivers: 10-GbE X2-CX4 10-GbE CX4 Media Con. 10-GbE X2-SC ER 10-GbE X2-SC LR 10-GbE X2-SC SR	RS-232C DB-9 console port
ProCurve 5308xl switch (J4819A) ProCurve 5308xl-48G switch (J8167A) ProCurve 5372xlswitch (J4848B) 	5308xl switch: 8 open module slots 5308xl-48G switch: 42 10/100/1000 ports 6 dual-personality ports 5 open module slots 5372xl switch: 72 10/100 ports 5 open module slots	Yes	Yes, with PoE module and EPS unit	Status, activity, speed, full-duplex operation, power, and module	GBICs: Gigabit-SX Gigabit-LX Gigabit-LH Gigabit 1000Base-T Transceivers: 10-GbE X2-CX4 10-GbE CX4 Media Con. 10-GbE X2-SC ER 10-GbE X2-SC LR 10-GbE X2-SC SR	RS-232C DB-9 console port

Switch	#Ports	Fan	PoE	LEDs	Transceiver or GBIC	Console Port
ProCurve 5406zl switch (J8697A) ProCurve 5406zl-48G switch (J8699A) 	5406zl switch: 6 open module slots 2 open power supply slots 1 USB port 5406zl-48G switch: 48 10/100/1000 ports 1 power supply (875W) 1 open power supply slot 4 open module slots 1 USB port	Yes	Yes, with a zl 24-Port PoE Module	Status, activity, speed, full-duplex operation, power, module, DIM, Mgmt, flash, PoE, and EPS	GBICs: Gigabit-SX Gigabit-LX Gigabit-LH Gigabit 1000Base-T Transceivers: 100-FX SFP-LC 10-GbE X2-CX4 10-GbE CX4 Media Con. 10-GbE X2-SC ER 10-GbE X2-SC LR 10-GbE X2-SC SR 10-GbE X2-SC LRM	RS-232C DB-9
ProCurve 5412zl switch (J8698A) ProCurve 5412zl-96G switch (J8700A) 	5412zl switch: 12 open module slots 4 open power supply slots 1 USB port 5412zl-96G switch: 96 10/100/1000 ports 2 power supplies (875W) 2 open power supply slots 8 open module slots 1 USB port	Yes	Yes, with a zl 24-Port PoE Module	Status, activity, speed, full-duplex operation, power, module, DIM, flash, Mgmt, PoE, and EPS	GBICs: Gigabit-SX Gigabit-LX Gigabit-LH Gigabit 1000Base-T Transceivers: 100-FX SFP-LC 10-GbE X2-CX4 10-GbE CX4 Media Con. 10-GbE X2-SC ER 10-GbE X2-SC LR 10-GbE X2-SC SR 10-GbE X2-SC LRM	RS-232C DB-9




HP ProCurve Distribution Switches

Switch	#Ports	Fan	PoE	LEDs	Transceiver or GBIC	Console Port
ProCurve 6108 switch (J4902A) 	6 10/100/1000 ports 2 dual-personality ports	Yes	No	Status, activity, speed, and full-duplex operation	GBICs: Gigabit-SX Gigabit-LX Gigabit-LH	RS-232C DB-9 console port
ProCurve 6200yl-24G-mGBIC switch (J8992A) 	24 open GBIC slots 1 open module slot (rear panels)	Yes	No	Status, activity, speed, full-duplex operation, power, module, and RPS	GBICs: Gigabit-SX Gigabit-LX Gigabit-LH Gigabit 1000Base-T Transceivers: 100-FX SFP-LC 10-GbE X2-CX4 10-GbE CX4 Media Con. 10-GbE X2-SC ER 10-GbE X2-SC LR 10-GbE X2-SC SR 10-GbE X2-SC-LRM	RS-232C DB-9 console port
ProCurve 6400cl switch (J8433A) ProCurve 6410cl switch (J8474A) 	6400cl switch : 6 CX4 10-GbE ports 1 open module slot (rear panel) 6410cl switch : 6 open transceiver slots 1 open module slot (rear panel)	Yes	No	Status, activity, speed, full-duplex operation, power, module, and RPS	Transceivers: 10-GbE X2-CX4 10-GbE CX4 Media Con. 10-GbE X2-SC ER 10-GbE X2-SC LR 10-GbE X2-SC SR	RS-232C DB-9 console port






HP ProCurve Interconnect Fabric Switches

Switch	#Ports	Fan	PoE	LEDs	Transceiver or GBIC	Console Port
ProCurve 8108fl switch (J8727A) ProCurve 8116fl switch (J8728A) 	8108fl switch: 8 open module slots 1 management module 1 switch fabric module 1 power supply 8116fl switch: 16 open module slots 1 management slot 1 switch fabric module 2 power supplies	Yes	No	Mgmt. module LEDs; switch fabric LEDs; module LEDs (status, activity, and speed)	GBICs: Gigabit-SX Gigabit-LX Gigabit-LH Gigabit 1000Base-T Transceivers: 10-GbE X2-CX4 10-GbE CX4 Media Con. 10-GbE X2-SC ER 10-GbE X2-SC LR 10-GbE X2-SC SR	RS-232C DB-9
ProCurve 8212zl switch (J8715A) 	12 open module slots 4 open power supply slots (2 power supplies required) 1 management module 2 fabric modules 1 system support module 1 chassis/fan tray	Yes	Yes, with a zl 24-Port PoE Module	Status, activity, speed, full-duplex operation, power, module, DIM, Mgmt, CompactFlash, system support module (SSM), fabric module, PoE, and EPS	GBICs: Gigabit-SX Gigabit-LX Gigabit-LH Gigabit 1000Base-T Transceivers: 100-FX SFP-LC 10-GbE X2-CX4 10-GbE CX4 Media Con. 10-GbE X2-SC ER 10-GbE X2-SC LR 10-GbE X2-SC SR 10-GbE X2-SC-LRM	RS-232C DB-9




HP ProCurve Core Switches

Switch	#Ports	Fan	PoE	LEDs	Transceiver or GBIC	Console Port
ProCurve 9304m switch (J4139A) 	4 open module slots 1 management module required	Yes	No	Status, activity, and power	GBICs: Gigabit-SX Gigabit-LX Gigabit-LH Gigabit 1000Base-T Transceivers: 10-GbE XENPACK SR 10-GbE XENPACK LR 10-GbE XENPACK ER	Standard straight-through serial data (RS-232) cable
ProCurve 9308 switch (J4138A) 	8 open module slots 1 management module required	Yes	No	Status, activity, and power	GBICs: Gigabit-SX Gigabit-LX Gigabit-LH Gigabit 1000Base-T Transceivers: 10-GbE XENPACK SR 10-GbE XENPACK LR 10-GbE XENPACK ER	Standard straight-through serial data (RS-232) cable
ProCurve 9315 switch (J4874A) 	15 open module slots 1 management module required	Yes	No	Status, activity, and power	GBICs: Gigabit-SX Gigabit-LX Gigabit-LH Gigabit 1000Base-T Transceivers: 10-GbE XENPACK SR 10-GbE XENPACK LR 10-GbE XENPACK ER	Standard straight-through serial data (RS-232) cable






GBICs and Transceivers for ProCurve Unmanaged Switches







Switch	GBICs and Transceivers	Module Required
ProCurve 1400-8G switch (J9077A) 	GBICs: ProCurve Gigabit-SX-LC Mini-GBIC (J4858C) ProCurve Gigabit-LX-LC Mini-GBIC (J4859C) ProCurve Gigabit-LH-LC Mini-GBIC (J4860C)	None
ProCurve 1400-24G switch (J9078A) 	GBICs: ProCurve Gigabit-SX-LC Mini-GBIC (J4858C) ProCurve Gigabit-LX-LC Mini-GBIC (J4859C) ProCurve Gigabit-LH-LC Mini-GBIC (J4860C)	None
ProCurve 2124 switch (J4868A) 	Transceivers: ProCurve 100-FX SC Transceiver (J4853A)	None
ProCurve 2312 switch (J4817A) 	Transceivers: ProCurve 100-FX SC Transceiver (J4853A) ProCurve 100/1000-T Transceiver (J4834A) ProCurve Gigabit-LX Transceiver (J4132A) ProCurve Gigabit-SX Transceiver (J4131B)	None
ProCurve 2324 switch (J4818A) 	Transceivers: ProCurve 100-FX SC Transceiver (J4853A) ProCurve 100/1000-T Transceiver (J4834A) ProCurve Gigabit-LX Transceiver (J4132A) ProCurve Gigabit-SX Transceiver (J4131B)	





GBICs and Transceivers for ProCurve Web-Managed Switches




Switch	GBICs and Transceivers	Module Required
<p>ProCurve 1700-8 switch (J9079A)</p> 	<p>GBICs: ProCurve Gigabit-SX-LC Mini-GBIC (J4858C) ProCurve Gigabit-LX-LC Mini-GBIC (J4859C) ProCurve Gigabit-LH-LC Mini-GBIC (J4860C)</p>	<p>None</p>
<p>ProCurve 1700-24 switch (J9080A)</p> 	<p>GBICs: ProCurve Gigabit-SX-LC Mini-GBIC (J4858C) ProCurve Gigabit-LX-LC Mini-GBIC (J4859C) ProCurve Gigabit-LH-LC Mini-GBIC (J4860C)</p>	<p>None</p>
<p>ProCurve 1800-8G switch (J9029A)</p> 	<p>GBICs: ProCurve Gigabit-SX-LC Mini-GBIC (J4858C) ProCurve Gigabit-LX-LC Mini-GBIC (J4859C) ProCurve Gigabit-LH-LC Mini-GBIC (J4860C)</p>	<p>None</p>
<p>ProCurve 1800-24G switch (J9028B)</p> 	<p>GBICs: ProCurve Gigabit-SX-LC Mini-GBIC (J4858C) ProCurve Gigabit-LX-LC Mini-GBIC (J4859C) ProCurve Gigabit-LH-LC Mini-GBIC (J4860C)</p>	<p>None</p>



GBICs and Transceivers for ProCurve Managed Switches



Switch	GBICs and Transceivers	Module Required
ProCurve 2512 switch (J4812A) 	Transceivers: ProCurve 100-FX SC Transceiver (J4853A) ProCurve 100/1000-T Transceiver (J4834A) ProCurve Gigabit-LX Transceiver (J4132A) ProCurve Gigabit-SX Transceiver (J4131B)	None
ProCurve 2524 switch (J4813A) 	Transceivers: ProCurve 100-FX SC Transceiver (J4853A) ProCurve 100/1000-T Transceiver (J4834A) ProCurve Gigabit-LX Transceiver (J4132A) ProCurve Gigabit-SX Transceiver (J4131B)	None
ProCurve 2510-24 switch (J9019B) 	GBICs: ProCurve Gigabit-SX-LC Mini-GBIC (J4858C) ProCurve Gigabit-LX-LC Mini-GBIC (J4859C) ProCurve Gigabit-LH-LC Mini-GBIC (J4860C) Transceiver: ProCurve 100-FX SFP-LC Transceiver (J9054B)	None
ProCurve 2510-48 switch (J9020A) 	GBICs: ProCurve Gigabit-SX-LC Mini-GBIC (J4858C) ProCurve Gigabit-LX-LC Mini-GBIC (J4859C) ProCurve Gigabit-LH-LC Mini-GBIC (J4860C) Transceiver: ProCurve 100-FX SFP-LC Transceiver (J9054B)	None
ProCurve 2510-24G switch (J9279A) 	GBICs: ProCurve Gigabit-SX-LC Mini-GBIC (J4858C) ProCurve Gigabit-LX-LC Mini-GBIC (J4859C) ProCurve Gigabit-LH-LC Mini-GBIC (J4860C) Transceiver: ProCurve 100-FX SFP-LC Transceiver (J9054B)	None



Switch	GBICs and Transceivers	Module Required
ProCurve 2510-48G switch (J9280A) 	GBICs: ProCurve Gigabit-SX-LC Mini-GBIC (J4858C) ProCurve Gigabit-LX-LC Mini-GBIC (J4859C) ProCurve Gigabit-LH-LC Mini-GBIC (J4860C) Transceiver: ProCurve 100-FX SFP-LC Transceiver (J9054B)	None
ProCurve 2600-8-PWR switch (J8762A) 	GBICs: ProCurve Gigabit-SX-LC Mini-GBIC (J4858C) ProCurve Gigabit-LX-LC Mini-GBIC (J4859C) ProCurve Gigabit-LH-LC Mini-GBIC (J4860C)	None
ProCurve 2626 switch (J4900C) 	GBICs: ProCurve Gigabit-SX-LC Mini-GBIC (J4858C) ProCurve Gigabit-LX-LC Mini-GBIC (J4859C) ProCurve Gigabit-LH-LC Mini-GBIC (J4860C)	None
ProCurve 2626-PWR switch (J8164A) 	GBICs: ProCurve Gigabit-SX-LC Mini-GBIC (J4858C) ProCurve Gigabit-LX-LC Mini-GBIC (J4859C) ProCurve Gigabit-LH-LC Mini-GBIC (J4860C)	None
ProCurve 2650 switch (J4899C) 	GBICs: ProCurve Gigabit-SX-LC Mini-GBIC (J4858C) ProCurve Gigabit-LX-LC Mini-GBIC (J4859C) ProCurve Gigabit-LH-LC Mini-GBIC (J4860C)	None
ProCurve 2650-PWR switch (J8165A) 	GBICs: ProCurve Gigabit-SX-LC Mini-GBIC (J4858C) ProCurve Gigabit-LX-LC Mini-GBIC (J4859C) ProCurve Gigabit-LH-LC Mini-GBIC (J4860C)	None

Switch	GBICs and Transceivers	Module Required
<p>ProCurve 2610-24/12PWR switch (J9086A)</p> 	<p>GBICs: ProCurve Gigabit-SX-LC Mini-GBIC (J4858C) ProCurve Gigabit-LX-LC Mini-GBIC (J4859C) ProCurve Gigabit-LH-LC Mini-GBIC (J4860C) ProCurve Gigabit 1000Base-T Mini-GBIC (J8177B) Transceiver: ProCurve 100-FX SFP-LC Transceiver (J9054B)</p>	None
<p>ProCurve 2610-24 switch (J9085A)</p> 	<p>GBICs: ProCurve Gigabit-SX-LC Mini-GBIC (J4858C) ProCurve Gigabit-LX-LC Mini-GBIC (J4859C) ProCurve Gigabit-LH-LC Mini-GBIC (J4860C) ProCurve Gigabit 1000Base-T Mini-GBIC (J8177B) Transceiver: ProCurve 100-FX SFP-LC Transceiver (J9054B)</p>	None
<p>ProCurve 2610-24-PWR switch (J9087A)</p> 	<p>GBICs: ProCurve Gigabit-SX-LC Mini-GBIC (J4858C) ProCurve Gigabit-LX-LC Mini-GBIC (J4859C) ProCurve Gigabit-LH-LC Mini-GBIC (J4860C) ProCurve Gigabit 1000Base-T Mini-GBIC (J8177B) Transceiver: ProCurve 100-FX SFP-LC Transceiver (J9054B)</p>	None
<p>ProCurve 2610-48 switch (J9088A)</p> 	<p>GBICs: ProCurve Gigabit-SX-LC Mini-GBIC (J4858C) ProCurve Gigabit-LX-LC Mini-GBIC (J4859C) ProCurve Gigabit-LH-LC Mini-GBIC (J4860C) ProCurve Gigabit 1000Base-T Mini-GBIC (J8177B) Transceiver: ProCurve 100-FX SFP-LC Transceiver (J9054B)</p>	None



Switch	GBICs and Transceivers	Module Required
<p>ProCurve 2610-48-PWR (J9089A)</p> 	<p>GBICs: ProCurve Gigabit-SX-LC Mini-GBIC (J4858C) ProCurve Gigabit-LX-LC Mini-GBIC (J4859C) ProCurve Gigabit-LH-LC Mini-GBIC (J4860C) ProCurve Gigabit 1000Base-T Mini-GBIC (J8177B) Transceiver: ProCurve 100-FX SFP-LC Transceiver (J9054B)</p>	None
<p>ProCurve 2824 switch (J4903A)</p> 	<p>GBICs: ProCurve Gigabit-SX-LC Mini-GBIC (J4858C) ProCurve Gigabit-LX-LC Mini-GBIC (J4859C) ProCurve Gigabit-LH-LC Mini-GBIC (J4860C) Transceiver: ProCurve 100-FX SFP-LC Transceiver (J9054B)</p>	None
<p>ProCurve 2848 switch (J4904A)</p> 	<p>GBICs: ProCurve Gigabit-SX-LC Mini-GBIC (J4858C) ProCurve Gigabit-LX-LC Mini-GBIC (J4859C) ProCurve Gigabit-LH-LC Mini-GBIC (J4860C) Transceiver: ProCurve 100-FX SFP-LC Transceiver (J9054B)</p>	None
<p>ProCurve 2810-24G (J9021A) switch</p> 	<p>GBICs: ProCurve Gigabit-SX-LC Mini-GBIC (J4858C) ProCurve Gigabit-LX-LC Mini-GBIC (J4859C) ProCurve Gigabit-LH-LC Mini-GBIC (J4860C) Transceiver: ProCurve 100-FX SFP-LC Transceiver (J9054B)</p>	None
<p>ProCurve 2810-48G (J9022A) switch</p> 	<p>GBICs: ProCurve Gigabit-SX-LC Mini-GBIC (J4858C) ProCurve Gigabit-LX-LC Mini-GBIC (J4859C) ProCurve Gigabit-LH-LC Mini-GBIC (J4860C) Transceiver: ProCurve 100-FX SFP-LC Transceiver (J9054B)</p>	None

Switch	GBICs and Transceivers	Module Required
<p>ProCurve 2900-24G switch (J9049A)</p> 	<p>GBICs: ProCurve Gigabit-SX-LC Mini-GBIC (J4858C) ProCurve Gigabit-LX-LC Mini-GBIC (J4859C) ProCurve Gigabit-LH-LC Mini-GBIC (J4860C) Transceivers: ProCurve 100-FX SFP-LC Transceiver (J9054B) ProCurve 10-GbE X2-CX4 Transceiver (J8440B) ProCurve 10-GbE CX4 Media Converter (J8439A) ProCurve 10-GbE X2-SC ER Optic (J8438A) ProCurve 10-GbE X2-SC LR Optic (J8437A) ProCurve 10-GbE X2-SC SR Optic (J8436A) ProCurve 10-GbE X2-SC LRM Optic (J9144A)</p>	None
<p>ProCurve 2900-48G switch (J9050A)</p> 	<p>GBICs: ProCurve Gigabit-SX-LC Mini-GBIC (J4858C) ProCurve Gigabit-LX-LC Mini-GBIC (J4859C) ProCurve Gigabit-LH-LC Mini-GBIC (J4860C) Transceivers: ProCurve 100-FX SFP-LC Transceiver (J9054B) ProCurve 10-GbE X2-CX4 Transceiver (J8440B) ProCurve 10-GbE CX4 Media Converter (J8439A) ProCurve 10-GbE X2-SC ER Optic (J8438A) ProCurve 10-GbE X2-SC LR Optic (J8437A) ProCurve 10-GbE X2-SC SR Optic (J8436A) ProCurve 10-GbE X2-SC LRM Optic (J9144A)</p>	None

Switch	GBICs and Transceivers	Module Required
<p>ProCurve 4104gl switch (J4887Z) ProCurve 4140gl switch (J8151A) ProCurve 4148gl switch (J4888A)</p> 	<p>GBICs: ProCurve Gigabit-SX-LC Mini-GBIC (J4858C) ProCurve Gigabit-LX-LC Mini-GBIC (J4859C) ProCurve Gigabit-LH-LC Mini-GBIC (J4860C) ProCurve Gigabit 1000Base-T Mini-GBIC (J8177B)</p> <p>Transceivers: ProCurve 100-FX SC Transceiver (J4853A) ProCurve 100/1000-T Transceiver (J4834A) ProCurve Gigabit-LX Transceiver (J4132A) ProCurve Gigabit-SX Transceiver (J4131A or J4131B) ProCurve Gigabit Stacking Transceiver (part of the HP ProCurve Switch Gigabit Stacking Kit, J4116A)</p>	<p>Modules with GBIC slots: ProCurve Switch gl 20-Port 10/100/1000 Module (J4908A) ProCurve Switch gl 6-Port Mini-GBIC Module (J4893A)</p> <p>Module with transceiver slots: ProCurve Switch gl Transceiver Module (J4864A)</p>
<p>ProCurve 4108gl switch (J4865A) ProCurve 4108gl switch bundle (J4861A) ProCurve 4160gl switch (J8152A)</p> 	<p>GBICs: ProCurve Gigabit-SX-LC Mini-GBIC (J4858C) ProCurve Gigabit-LX-LC Mini-GBIC (J4859C) ProCurve Gigabit-LH-LC Mini-GBIC (J4860C) ProCurve Gigabit 1000Base-T Mini-GBIC (J8177B)</p> <p>Transceivers: ProCurve 100-FX SC Transceiver (J4853A) ProCurve 100/1000-T Transceiver (J4834A) ProCurve Gigabit-LX Transceiver (J4132A) ProCurve Gigabit-SX Transceiver (J4131A or J4131B) ProCurve Gigabit Stacking Transceiver (part of the HP ProCurve Switch Gigabit Stacking Kit, J4116A)</p>	<p>Modules with GBIC slots: ProCurve Switch gl 20-Port 10/100/1000 Module (J4908A) ProCurve Switch gl 6-Port Mini-GBIC Module (J4893A)</p> <p>Module with transceiver slots: ProCurve Switch gl Transceiver Module (J4864A)</p>

Switch	GBICs and Transceivers	Module Required
<p>ProCurve 4204vl switch (J8770A) ProCurve 4204vl-48GS switch (J9064A) ProCurve 4202vl-72 switch (J8772A)</p> 	<p>GBICs: ProCurve Gigabit-SX-LC Mini-GBIC (J4858C) ProCurve Gigabit-LX-LC Mini-GBIC (J4859C) ProCurve Gigabit-LH-LC Mini-GBIC (J4860C) ProCurve Gigabit 1000Base-T Mini-GBIC (J8177B)</p> <p>Transceivers: ProCurve 100-FX SFP-LC Transceiver (J9054B) ProCurve 10-GbE X2-CX4 Transceiver (J8440B) ProCurve 10-GbE CX4 Media Converter (J8439A) ProCurve 10-GbE X2-SC ER Optic (J8438A) ProCurve 10-GbE X2-SC LR Optic (J8437A) ProCurve 10-GbE X2-SC SR Optic (J8436A) ProCurve 10-GbE X2-SC LRM Optic (J9144A)</p>	<p>Modules with GBIC slots: ProCurve Switch vl 4-Port Mini-GBIC Module (J8776A) ProCurve Switch vl 20-Port Gig-T + 4-Port SFP Module (J9033A)</p> <p>Module with transceiver slots: ProCurve Switch vl 1-Port 10-GbE X2 Module (J8766A)</p>
<p>ProCurve 4208vl (J8773A) ProCurve 4208vl-72GS switch (J9030A) ProCurve 4208vl-96 switch (J8775A)</p> 	<p>GBICs: ProCurve Gigabit-SX-LC Mini-GBIC (J4858C) ProCurve Gigabit-LX-LC Mini-GBIC (J4859C) ProCurve Gigabit-LH-LC Mini-GBIC (J4860C) ProCurve Gigabit 1000Base-T Mini-GBIC (J8177B)</p> <p>Transceivers: ProCurve 100-FX SFP-LC Transceiver (J9054B) ProCurve 10-GbE X2-CX4 Transceiver (J8440B) ProCurve 10-GbE CX4 Media Converter (J8439A) ProCurve 10-GbE X2-SC ER Optic (J8438A) ProCurve 10-GbE X2-SC LR Optic (J8437A) ProCurve 10-GbE X2-SC SR Optic (J8436A) ProCurve 10-GbE X2-SC LRM Optic (J9144A)</p>	<p>Modules with GBIC slots: ProCurve Switch vl 4-Port Module (J8776A) ProCurve Switch vl 20-Port Gig-T + 4-Port SFP Module (J9033A)</p> <p>Module with transceiver slots: ProCurve Switch vl 1-Port 10-GbE X2 Module (J8766A)</p>

GBICs and Transceivers for ProCurve Intelligent EDGE Switches

Switch	GBICs and Transceivers	Module Required
<p>ProCurve 3400cl-24G switch (J4905A)</p> 	<p>GBICs: ProCurve Gigabit-SX-LC Mini-GBIC (J4858C) ProCurve Gigabit-LX-LC Mini-GBIC (J4859C) ProCurve Gigabit-LH-LC Mini-GBIC (J4860C)</p> <p>Transceivers: ProCurve 10-GbE X2-CX4 Transceiver (J8440B) ProCurve 10-GbE CX4 Media Converter (J8439A) ProCurve 10-GbE X2-SC ER Optic (J8438A) ProCurve 10-GbE X2-SC LR Optic (J8437A) ProCurve 10-GbE X2-SC SR Optic (J8436A)</p>	<p>Module with transceiver slots: ProCurve Switch cl 10-GbE Media Flex Module (J8435A)</p>
<p>ProCurve 3400cl-48G switch (J4906A)</p> 	<p>GBICs: ProCurve Gigabit-SX-LC Mini-GBIC (J4858C) ProCurve Gigabit-LX-LC Mini-GBIC (J4859C) ProCurve Gigabit-LH-LC Mini-GBIC (J4860C)</p> <p>Transceivers: ProCurve 10-GbE X2-CX4 Transceiver (J8440B) ProCurve 10-GbE CX4 Media Converter (J8439A) ProCurve 10-GbE X2-SC ER Optic (J8438A) ProCurve 10-GbE X2-SC LR Optic (J8437A) ProCurve 10-GbE X2-SC SR Optic (J8436A)</p>	<p>Module with transceiver slots: ProCurve Switch cl 10-GbE Media Flex Module (J8435A)</p>

ProCurve 3500yl-24G-PWR switch
(J8692A)



GBICs:

- ProCurve Gigabit-SX-LC Mini-GBIC (J4858C)
- ProCurve Gigabit-LX-LC Mini-GBIC (J4859C)
- ProCurve Gigabit-LH-LC Mini-GBIC (J4860C)
- ProCurve Gigabit 1000Base-T Mini-GBIC (J8177B)

Transceivers:

- ProCurve 100-FX SFP-LC Transceiver (J9054B)
- ProCurve 10-GbE X2-CX4 Transceiver (J8440B)
- ProCurve 10-GbE CX4 Media Converter (J8439A)
- ProCurve 10-GbE X2-SC ER Optic (J8438A)
- ProCurve 10-GbE X2-SC LR Optic (J8437A)
- ProCurve 10-GbE X2-SC SR Optic (J8436A)
- ProCurve 10-GbE X2-SC LRM Optic (J9144A)

Module with transceiver slots:

- ProCurve Switch yl 10-GbE 2-Port CX4 + 2-Port X2 Module (J8694A)

ProCurve 3500yl-48G-PWR switch
(J8693A)



GBICs:

- ProCurve Gigabit-SX-LC Mini-GBIC (J4858C)
- ProCurve Gigabit-LX-LC Mini-GBIC (J4859C)
- ProCurve Gigabit-LH-LC Mini-GBIC (J4860C)
- ProCurve Gigabit 1000Base-T Mini-GBIC (J8177B)

Transceivers:

- ProCurve 100-FX SFP-LC Transceiver (J9054B)
- ProCurve 10-GbE X2-CX4 Transceiver (J8440B)
- ProCurve 10-GbE CX4 Media Converter (J8439A)
- ProCurve 10-GbE X2-SC ER Optic (J8438A)
- ProCurve 10-GbE X2-SC LR Optic (J8437A)
- ProCurve 10-GbE X2-SC SR Optic (J8436A)
- ProCurve 10-GbE X2-SC LRM Optic (J9144A)

Module with transceiver slots:

- ProCurve Switch yl 10-GbE 2-Port CX4 + 2-Port X2 Module (J8694A)

ProCurve 5304xl switch (J4850A)
 ProCurve 5304xl-32G switch (J8166A)
 ProCurve 5348xl switch (J4849A)



GBICs:
 ProCurve Gigabit-SX-LC Mini-GBIC (J4858C)
 ProCurve Gigabit-LX-LC Mini-GBIC (J4859C)
 ProCurve Gigabit-LH-LC Mini-GBIC (J4860C)
 ProCurve Gigabit 1000Base-T Mini-GBIC (J8177B)
Transceivers:
 ProCurve 10-GbE X2-CX4 Transceiver (J8440B)
 ProCurve 10-GbE CX4 Media Converter (J8439A)
 ProCurve 10-GbE X2-SC ER Optic (J8438A)
 ProCurve 10-GbE X2-SC LR Optic (J8437A)
 ProCurve 10-GbE X2-SC SR Optic (J8436A)

Modules with GBIC slots:
 ProCurve Switch xl Mini-GBIC Module (J4878B)
 ProCurve Switch xl 16-Port 10/100/1000 Module (J4907A)
Module with transceiver slots:
 ProCurve Switch xl 1-Port 10-GbE X2 Module (J8988A)

ProCurve 5308xl switch (J4819A)
 ProCurve 5308xl-48G switch (J8167A)
 ProCurve 5372xlswitch (J4848B)



GBICs:
 ProCurve Gigabit-SX-LC Mini-GBIC (J4858C)
 ProCurve Gigabit-LX-LC Mini-GBIC (J4859C)
 ProCurve Gigabit-LH-LC Mini-GBIC (J4860C)
 ProCurve Gigabit 1000Base-T Mini-GBIC (J8177B)
Transceivers:
 ProCurve 10-GbE X2-CX4 Transceiver (J8440B)
 ProCurve 10-GbE CX4 Media Converter (J8439A)
 ProCurve 10-GbE X2-SC ER Optic (J8438A)
 ProCurve 10-GbE X2-SC LR Optic (J8437A)
 ProCurve 10-GbE X2-SC SR Optic (J8436A)

Modules with GBIC slots:
 ProCurve Switch xl Mini-GBIC Module (J4878B)
 ProCurve Switch xl 16-Port 10/100/1000 Module (J4907A)
Module with transceiver slots:
 ProCurve Switch xl 1-Port 10-GbE X2 Module (J8988A)

ProCurve 5406zl switch (J8697A)
ProCurve 5406zl-48G switch (J8699A)



GBICs:
ProCurve Gigabit-SX-LC Mini-GBIC (J4858C)
ProCurve Gigabit-LX-LC Mini-GBIC (J4859C)
ProCurve Gigabit-LH-LC Mini-GBIC (J4860C)
ProCurve Gigabit 1000Base-T Mini-GBIC (J8177B)
Transceivers:
ProCurve 100-FX SFP-LC Transceiver (J9054B)
ProCurve 10-GbE X2-CX4 Transceiver (J8440B)
ProCurve 10-GbE CX4 Media Converter (J8439A)
ProCurve 10-GbE X2-SC ER Optic (J8438A)
ProCurve 10-GbE X2-SC LR Optic (J8437A)
ProCurve 10-GbE X2-SC SR Optic (J8436A)
ProCurve 10-GbE X2-SC LRM Optic (J9144A)

Modules with GBIC slots:
ProCurve Switch zl 20-Port 10/100/1000 + 4-Port Mini-GBIC Module (J8705A)
ProCurve Switch zl 24-Port Mini-GBIC Module (J8706A)
Module with transceiver slots:
ProCurve Switch zl 4-Port 10-GbE X2 Module (J8707A)




ProCurve 5412zl switch (J8698A)
ProCurve 5412zl-96G switch (J8700A)



GBICs:
ProCurve Gigabit-SX-LC Mini-GBIC (J4858C)
ProCurve Gigabit-LX-LC Mini-GBIC (J4859C)
ProCurve Gigabit-LH-LC Mini-GBIC (J4860C)
ProCurve Gigabit 1000Base-T Mini-GBIC (J8177B)
Transceivers:
ProCurve 100-FX SFP-LC Transceiver (J9054B)
ProCurve 10-GbE X2-CX4 Transceiver (J8440B)
ProCurve 10-GbE CX4 Media Converter (J8439A)
ProCurve 10-GbE X2-SC ER Optic (J8438A)
ProCurve 10-GbE X2-SC LR Optic (J8437A)
ProCurve 10-GbE X2-SC SR Optic (J8436A)
ProCurve 10-GbE X2-SC LRM Optic (J9144A)

Modules with GBIC slots:
ProCurve Switch zl 20-Port 10/100/1000 + 4-Port Mini-GBIC Module (J8705A)
ProCurve Switch zl 24-Port Mini-GBIC Module (J8706A)
Module with transceiver slots:
ProCurve Switch zl 4-Port 10-GbE X2 Module (J8707A)

GBICs and Transceivers for ProCurve Distribution Switches

Switch	GBICs and Transceivers	Module Required
<p>ProCurve 6108 switch (J4902A)</p> 	<p>GBICs: ProCurve Gigabit-SX-LC Mini-GBIC (J4858C) ProCurve Gigabit-LX-LC Mini-GBIC (J4859C) ProCurve Gigabit-LH-LC Mini-GBIC (J4860C)</p>	<p>None</p>
<p>ProCurve 6200yl-24G-mGBIC switch (J8992A)</p> 	<p>GBICs: ProCurve Gigabit-SX-LC Mini-GBIC (J4858C) ProCurve Gigabit-LX-LC Mini-GBIC (J4859C) ProCurve Gigabit-LH-LC Mini-GBIC (J4860C) ProCurve Gigabit 1000Base-T Mini-GBIC (J8177B)</p> <p>Transceivers: ProCurve 100-FX SFP-LC Transceiver (J9054B) ProCurve 10-GbE X2-CX4 Transceiver (J8440B) ProCurve 10-GbE CX4 Media Converter (J8439A) ProCurve 10-GbE X2-SC ER Optic (J8438A) ProCurve 10-GbE X2-SC LR Optic (J8437A) ProCurve 10-GbE X2-SC SR Optic (J8436A) ProCurve 10-GbE X2-SC LRM Optic (J9144A)</p>	<p>Module with transceiver slots: ProCurve Switch yl 10-GbE 2-Port CX4 + 2-Port X2 Module (J8694A)</p>
<p>ProCurve 6400cl switch (J8433A) ProCurve 6410cl switch (J8474A)</p> 	<p>Transceivers: ProCurve 10-GbE X2-CX4 Transceiver (J8440B) ProCurve 10-GbE CX4 Media Converter (J8439A) ProCurve 10-GbE X2-SC ER Optic (J8438A) ProCurve 10-GbE X2-SC LR Optic (J8437A) ProCurve 10-GbE X2-SC SR Optic (J8436A)</p>	<p>Module with transceiver slots: ProCurve Switch cl 10-GbE Media Flex Module (J8435A)</p>

GBICs and Transceivers for ProCurve Interconnect Fabric Switches

Switch	GBICs and Transceivers	Module Required
<p>ProCurve 8108fl switch (J8727A) ProCurve 8116fl switch (J8728A)</p> 	<p>GBICs: ProCurve Gigabit-SX-LC Mini-GBIC (J4858C) ProCurve Gigabit-LX-LC Mini-GBIC (J4859C) ProCurve Gigabit-LH-LC Mini-GBIC (J4860C) ProCurve Gigabit 1000Base-T Mini-GBIC (J8177B)</p> <p>Transceivers: ProCurve 10-GbE X2-CX4 Transceiver (J8440B) ProCurve 10-GbE CX4 Media Converter (J8439A) ProCurve 10-GbE X2-SC ER Optic (J8438A) ProCurve 10-GbE X2-SC LR Optic (J8437A) ProCurve 10-GbE X2-SC SR Optic (J8436A)</p>	<p>Module with GBIC slots: ProCurve Switch fl 10-Port Mini-GBIC Interface Module (J8735A)</p> <p>Module with transceiver slots: ProCurve Switch fl 2-Port 10 GbE X2 Interface Module (J8737A)</p>
<p>ProCurve 8212zl switch (J8715A)</p> 	<p>GBICs: ProCurve Gigabit-SX-LC Mini-GBIC (J4858C) ProCurve Gigabit-LX-LC Mini-GBIC (J4859C) ProCurve Gigabit-LH-LC Mini-GBIC (J4860C) ProCurve Gigabit 1000Base-T Mini-GBIC (J8177B)</p> <p>Transceivers: ProCurve 100-FX SFP-LC Transceiver (J9054B) ProCurve 10-GbE X2-CX4 Transceiver (J8440B) ProCurve 10-GbE CX4 Media Converter (J8439A) ProCurve 10-GbE X2-SC ER Optic (J8438A) ProCurve 10-GbE X2-SC LR Optic (J8437A) ProCurve 10-GbE X2-SC SR Optic (J8436A) ProCurve 10-GbE X2-SC LRM Optic (J9144A)</p>	<p>Modules with GBIC slots: ProCurve Switch zl 20-Port 10/100/1000 + 4-Port Mini-GBIC Module (J8705A) ProCurve Switch zl 24-Port Mini-GBIC Module (J8706A)</p> <p>Module with transceiver slots: ProCurve Switch zl 4-Port 10-GbE X2 Module (J8707A)</p>

GBICs and Transceivers for ProCurve Core Switches

Switch	GBICs and Transceivers	Module Required
<p>ProCurve 9304m switch (J4139A)</p> 	<p>GBICs: ProCurve Gigabit-SX-LC Mini-GBIC (J4858C) ProCurve Gigabit-LX-LC Mini-GBIC (J4859C) ProCurve Gigabit-LH-LC Mini-GBIC (J4860C) ProCurve Gigabit 1000Base-T Mini-GBIC (J8177B)</p> <p>Transceivers: ProCurve 10-GbE XENPAK SR Optic (J8175A) ProCurve 10-GbE XENPAK LR Optic (J8173A) ProCurve 10-GbE XENPAK ER Optic (J8176A)</p>	<p>Modules with GBIC slots: ProCurve 9300 EP 8-Port Mini-GBIC Redundant Management Module (J4885A) ProCurve 9300 EP 16-Port Mini-GBIC Module (J4894A)</p> <p>Module with transceiver slots: ProCurve 9300 2-Port 10-GbE Module (J8174A)</p>
<p>ProCurve 9308 switch (J4138A)</p> 	<p>GBICs: ProCurve Gigabit-SX-LC Mini-GBIC (J4858C) ProCurve Gigabit-LX-LC Mini-GBIC (J4859C) ProCurve Gigabit-LH-LC Mini-GBIC (J4860C) ProCurve Gigabit 1000Base-T Mini-GBIC (J8177B)</p> <p>Transceivers: ProCurve 10-GbE XENPAK SR Optic (J8175A) ProCurve 10-GbE XENPAK LR Optic (J8173A) ProCurve 10-GbE XENPAK ER Optic (J8176A)</p>	<p>Modules with GBIC slots: ProCurve 9300 EP 8-Port Mini-GBIC Redundant Management Module (J4885A) ProCurve 9300 EP 16-Port Mini-GBIC Module (J4894A)</p> <p>Module with transceiver slots: ProCurve 9300 2-Port 10-GbE Module (J8174A)</p>
<p>ProCurve 9315 switch (J4874A)</p> 	<p>GBICs: ProCurve Gigabit-SX-LC Mini-GBIC (J4858C) ProCurve Gigabit-LX-LC Mini-GBIC (J4859C) ProCurve Gigabit-LH-LC Mini-GBIC (J4860C) ProCurve Gigabit 1000Base-T Mini-GBIC (J8177B)</p> <p>Transceivers: ProCurve 10-GbE XENPAK SR Optic (J8175A) ProCurve 10-GbE XENPAK LR Optic (J8173A) ProCurve 10-GbE XENPAK ER Optic (J8176A)</p>	<p>Modules with GBIC slots: ProCurve 9300 EP 8-Port Mini-GBIC Redundant Management Module (J4885A) ProCurve 9300 EP 16-Port Mini-GBIC Module (J4894A)</p> <p>Module with transceiver slots: ProCurve 9300 2-Port 10-GbE Module (J8174A)</p>